Index

A

aggressive interactions 27 AI race 210 alignment of the dairy building 198 analysing \$ implications 222 current profitability and viability 222-3 return on additional capital 215, 224-7 animal welfare, compromised by fear 31 automated jetter systems 120 automated yard cleaning systems 127 automatic cluster removal 96-9 automatic milking installations 178, 238-42 challenges 241 cost estimates 240 positives and negatives 178 possibilities 238-40 automatic teat spray units 103

B

backing gates 66, 76–7
electrified 78
safe use of 77
yard cleaning with 127–8
batch exits/rapid exits 106, 176
Bob and Jim, Queensland, double up case study 150–1
borrowing money to improve capital base 214
bucket (machine) cleaning 118
budget preparation 228–32
cash flow budget 231–2
YIYO budget 228–31
bullying 65

C

calm, consistent routine 64 calver 215 capital 214–15 case study farms 138 double up case studies 139–51 rotary case studies 162–8 swingover case studies 153–61 cash flow budget 231–2 cattle ramp 210 chemical store 208 children in the dairy 87 Chris and Jan, Victoria, double up case study 141–3



clean-in-place (jetter) cleaning 118-20 cleaning essential elements 116 water role in 116-17 cleaning up 115-30 increasing labour productivity 7 machine cleaning 118-21 performance measures 17-20, 132-7. 252 - 5principles - cleaning up 116-17 yard cleaning 122-30 Cliff, New South Wales, swingover case study 160 - 1cluster attachment 96, 258 at the right time 111 cluster idle time 182 cluster removal 96.258 automatic 96-9 manual 96-7 cluster slip 107 cluster throughput 179 clusters, idle cluster placement 99 clusters/operator 21, 136, 189-90, 255 compaction (laneways) 53 concreting 70, 71, 201 control measures (hazards) 38 cooling (yard) 74-5 cow angle – milking position 205–6 cow area, design principles 36, 195-211 cow basics 26-31 cow behaviour 26-31, 42-3, 65 aggressive interactions 27 bullying 65 fear 29-31 handling and behaviours 32, 33, 34 learned associations 64 learning (cows) 28 principles - paddock to yard 42-3 social behaviours 27 see also stockhandling cow comfort 28, 86 and milk out time 110 cow entry (to dairy) 91-2, 257 cow exit 104, 259 batch exits/rapid exits 106, 176 discouraging re-entry (rotary dairy) 107 drafting 104-5 exit design 104 exit gates 105 feeding, effect on exit 104 rotary dairies 106

cow-flow 36-7 dairy entry 64-6,86 dairy exit 104-7 paddock to yard 42-3 cow identification 94-5 auto ID race 81 problem cows 94–5 cows, people, facilities 14, 15, 25-40, 196, 236 cows/cluster/hour 21, 137, 255 cows/operator/hour (cups on cups off) 19, 134, 255 cow's walking speed 20, 42, 135, 255 CowTime Clinic 10 CowTime Course 11 **CowTime Guidelines 10** CowTime Milking Monitor 10, 252, 253-4 CowTime On-farm Advisor 11 CowTime project, goals 5-9 CowTime Quick Notes (list of topics) 249-50 crowding (cows) 27 crush (cattle) 210 current profitability and viability 222-3 cushioned surface stone trap 60 Cyril and Leslie, Western Australia, swingover case study 154-5

D

dairy, design considerations 195-211 CowTime cost cutters 211 dairy efficiency, maximising 188-9 dairy entrance 79-81 design 79 entry race 81 footing in 79 lighting 79 restrictions and distractions 80-1 stray voltage 82 width 80 dairy entry 63-83 cow entry 91-2, 257 CowTime cost cutters 83 encouraging cows to enter 66 holding yards 67-78 increasing labour productivity 6 principles 64 training heifers to enter the dairy 65-6 dairy exit cow exit 91, 104-7, 259 design 104 exit gates 105 dairy planning 169-94 dairy size 179-93 cluster idle time 182 cluster throughput 179

equipment output 184-5 labour output 187-8 maximising dairy efficiency 188-9 milk out time 180-1 milker throughput 185 sizing a herringbone 189-90 sizing a rotary 190-3 unit time 183-4, 261-2 work routine time 185-7, 257-60 dairy types 173-8 David and Cathy, South Australia, rotary case study 164-6 design considerations 36, 195-211 general infrastructure 199-201 inside the dairy 202–10 key principles to keep in mind 196 site considerations 197-8 dirty teat prevention 93 discouraging re-entry (rotary dairy) 107 distractions dairy entrance 80-1 laneways 49 dominance 27, 42-3 double up case studies 139-51 Bob and Jim, Queensland 150-1 Chris and Jan, Victoria 141-3 Mark, Western Australia 144-5 Phil and Shannon, South Australia 148-9 Phillip, Karen and Jason, Tasmania 146-7 Tom and Stephanie, New South Wales 139 - 40double up herringbone 175 cluster idle time 182 equipment output 184 sizing a herringbone 189–90 dovetail high point design (junction) 58 drafting 104-5 rapid exit 106 drainage holding yards 73 laneways 54 laneway-yard junction 57 drainage pipes 73 Duncan, Tasmania, swingover case study 156-7

E

effluent management 199 electrical controls (in the dairy) 202 electrical supply 200–1 electrified backing gates 78 emergency surfaces (laneway-yard junction) 59 encouraging cows to enter the dairy 66 entry race 81



entry to dairy 63–83 entry to laneway (from paddock) 44–5 equipment output 184–5 exit design 104 exit gates 105 expert advice, dairy planning 171

F

facilities (milk harvesting) 36-9, 236 control measures (safety) 38 cow area - design principles 36 improving cow-flow 36-7 key elements (milk harvesting) 14 milking area 202-11 occupational health and safety 37 personal protective equipment 38 risk assessment 37 worker comfort 39, 86-7, 209 fear (in cows) 29 behaviours that provoke fear 35 effects of 29-31.64 reducing fear of people 35 feeding in the dairy 66, 92, 258 effect on exit 104 feeding systems (in the dairy) 207 fencing (holding yards) 74 fence height 74 post and rail size 74 post and rail spacing 74 fencing (laneways) 54 position of posts 54-5 position of wire 55 financial analysis 213-33 analysing \$ implications 222-7 benefits of 221 cash flow budget 231-2 current profitability and viability 222-3 getting assistance 218 key principles to keep in mind 214-16 making changes 217-21 preparing budgets 228-32 return on additional capital 224-7 year-in-year-out budget 228-31 flight zones (cattle) 27 flood wash cleaning 127-9 200 litre flood wash drums 129 large tank in yard 128 pipe and riser flood wash 129 foot placement 42 footbath stone trap 60 footing in dairy entrance 79 foundation (laneways) 50, 51 future trends 236-7

G

gate position (paddocks) 44-5 gates backing 66, 76-7 sweep 76 yard 61 gateway drainage 45 gateways (from paddock) 44 glossary 263-6 goals and financial implications 217-18 CowTime project 5 good stockhandling 9 increasing labour productivity 5-7 making milking easier, safer, more pleasant 7 - 8good stockhandling 9 what's possible 9 graphs, types of 133-7

Η

hand held teat spraying 101-2 handling facilities 210 hazards control measures 38 paddock to yard 43 risk assessment 37 hearing (cows) 26 heifers, training to enter the dairy 65-6 herd dominance 27, 43 herd expansion 220-1 and existing debt commitments 221 and feed costs 220 and upgrading infrastructure 221 labour issues 220 management issues 220 herd management systems 199-200 herd size and laneway width 47 herding 27 herringbone dairies cluster idle time 182 equipment output 184 labour output 187-8 positives and negatives 174-6 sizing 189-90 types of 173 work routine time 185-6, 260 high point (laneway-yard) junction 57 holding yards 67-78 design 67 drainage system 73 fencing 74 shade and cooling 74



Page 269

holding yards — *continued* size, shape and width 67–9 slope of yard 71–3 surface 70–1 yard cleaning 122–30 hose cleaning systems 124–5 hoses 124 hydrant washing 125–6

in-dairy washdown systems 121 in the dairy 85-114 chemical store 208 cow angle – milking position 205–6 CowTime cost cutters 113 design considerations 202-10 electrical controls 202 feeding systems 207 handling facilities 210 increasing labour productivity 6-7 key principles to keep in mind 86-7 message points 206 milk room 207 milking area 89-90, 202 milking platform 204–5 milking the cow 108–12 milking work routine 91-107 operator controls 202 people facilities 209 performance measures 17-20, 132-7, 252 - 5pit depth 202-3 pit floor and drainage 204 pit width 203-4 plant room 208 storage areas 209 water access in the pit 206 increasing labour productivity 5-7 cleaning up 7 dairy entry 6 in the dairy 6-7 paddock to yard 5-6 what's possible? 5 industry performance graphs 132 reading the graphs 132–3 types of graphs 133-7 infrastructure 199-201, 221 injury, and fear 30

J

jetter cleaning 118–20 automated jetter systems 120 jetter set-up 119 wash drums 119 junctions, (laneway-yard) 57–62 designs 57–8 drainage 57–8 kerbing 58 surfaces 59

K


Karl, Victoria, rotary case study 167–8 kerb as stone trap 59 kilometres/hour (cow's walking speed) 20, 42, 135, 255 Kym, Phillip and Ken, South Australia, swingover case study 158–9

labour output 187-8 labour productivity, increasing 5-7 laneway construction 50-3 foundation and surface layers 50 materials 51-2 laneway-yard junctions 57-62 laneways 46-56 compaction 53 design 46-7 drainage 54 fencing 54-5 layout 48 length 47 maintenance 56 restrictions and distractions 48-9 surface slope 53 width 46-7 learned associations (cows) 64 learning (cows) 28 learning from others 131-68 case study farms 138-68 industry performance graphs 132-7 let-down effect of fear 30 hormone 108 milking characteristics 108-11 life stages, and change 218 lighting dairy entrance 79 milking area 89 litres/operator/hour (cups on cups off) 20, 134, 255 litres/operator/hour (TMHT) 21, 137, 255 location (of dairy) 197

M

machine cleaning 117–21 performance measures 17–20, 132–7, 252–5





milking machine cleaning 118–21 automated jetter systems 120 bucket cleaning 118 essential elements 116-7 in-dairy washdown systems 121 jetter cleaning 118-20 reverse flow cleaning 118 water, role in cleaning 117 milking machine cleaning time 20, 135 Milking Monitor 10, 252, 253-4 farm data collection form 253-4 milking platform 204–5 milking position (cow) 205-6 milking speed 108-11, 180-1 milking the cow 108 let-down hormone 108 milk out time 108–11 slow milking cows 111–12 milking work routine 91–107, 257 cluster attachment 96, 258 cluster removal 96-100, 258 cluster slip 107 cow entry 91-2, 257 cow exit 104-7, 259 feeding in the dairy 66, 92, 258 miscellaneous activities 107, 259 teat disinfection 100-3.259 teat preparation 93-5, 258 see also work routine time minutes (machine and yard cleaning) 20, 255 more cows, implications of 220-1 motivation for change 217

N

negative handling and behaviours 32, 33, 34 negative interactions (between cows) 27 new dairy or upgrade? 219 planning 169–94 noise, milking area 90

0

occupational health and safety 37, 39, 88–90 control measures (hazards) 38 lighting 89 make milking easier, safer, more pleasant 7–8 noise 90 personal protective equipment 38 ventilation 88 office (in the dairy) 209 operator controls (in the dairy) 202 opportunity cost 215 oxytocin 108



Ρ

paddock gateways 44 position 44-5 width restrictions 44 paddock to yard 41-62 CowTime cost cutters 62 entry to laneway 44-5 increasing labour productivity 5-6 key principles to keep in mind 42-3 laneway-yard junctions 57-62 laneways 46-56 performance measures 17-20, 132-7, 252 - 5payback period 215 people 236 key elements (milk harvesting) 14 occupational health and safety 37 people facilities 209 positive cow/people relations 33 personal protective equipment 38 reducing cows fear of 35 worker comfort 39, 86-7 people facilities (in the dairy) 209 performance measures 18-19, 134-7, 252-5 clusters/operator 21, 136, 255 cows/cluster/hour 21, 137, 255 cows/operator/hour (cups on cups off) 19, 134, 255 kilometres/hour (cow's walking speed) 20, 135, 255 litres/operator/hour (cups on cups off) 20, 134, 255 litres/operator/hour (TMHT) 21, 137, 255 minutes (machine and yard cleaning) 20, 135-6, 255 working out (calculations) 252-6 personal protective equipment 38 Phil and Shannon, South Australia, double up case study 148-9 Phillip, Karen and Jason, Tasmania, double up case study 146-7 physical restrictions dairy entrance 80 laneways 49 paddock gates 44-5 pit depth 202-3 pit floor and drainage 204 pit width 203-4 planning a new dairy 169-94 bottom line 196 dairy size 179-93 dairy type 173-8 design implications 170-1 expert advice 171

financial analysis 213-33 key principles to keep in mind 170-2 project management 196 revisit initial decisions 172 understand limitations 171 see also design considerations plant room 208 plumbing 200 see also drainage positive cow/people relations 33 positive handling and behaviours 32, 33, 34 positive interactions 64 preparing budgets 228-32 preventing dirty teats 93 problem cow identification 94-5 project management 196 prolonged milk out time 110 psychological stress 39 pumps 124, 200

R

race, AI 210 race, entry to dairy 81 rapid exit drafting 106 rapid exit herringbone 176 cluster idle time 182 Red and David, Queensland, swingover case study 152-3 reference sources 243-8 return on additional capital 215, 224-7 reverse flow cleaning 118 risk assessment (OH&S) 37 robotic milking systems 238-41 see also automatic milking installations rotary case studies 162-8 David and Cathy, South Australia 164-6 Karl, Victoria 167-8 Wayne and Joan, Victoria 162-3 rotary dairies 177-8 cluster idle time 182 herd milking time 193 number of clusters 192-3 rotation speed 190-1 sizing 190-3 work routine time 260 rushing (in the dairy) 87

S

scrapers 125 seasonally calving herds, milk out time 181 shade and cooling, holding yards 74–5 single slope yard 72



site considerations 197 alignment of building 198 general infrastructure 199-201 location 197 vehicle access 197 size of dairy 179-93 slope of yard 71-2 drainage and cleaning 123 single slope yard 72 two slope yard 73 slopes on hills (laneways) 53 slow milking cows 111-12 slowing dairy entry 81 smell (cows) 26 social behaviours (cows) 27-8 social restrictions 49 spray guns and nozzles 102 sprinklers 75 spur drains 54 stockhandling 9, 32-5, 64 and fear 30 behaviours that provoke fear 35 changing attitudes and behaviour 33-4 learned associations 64 positive and negative handling 32 positive cow/people relations 33, 64 principles - dairy entry 64 principles - paddock to yard 64 reducing fear of people 35 what's possible 9 stone traps 59-60 storage areas (in the dairy) 208, 209 strategic washing of teats 93-4 stray voltage 82 surface layer (laneways) 50, 51-2 surface slope (laneways) 53 sweep gates 76 swingover case studies 153-61 Cliff, New South Wales 160-1 Cyril and Leslie, Western Australia 154-5 Duncan, Tasmania 156-7 Kym, Phillip and Ken, South Australia 158 - 9Red and David, Queensland 152-3 swingover herringbone 174 cluster idle time 182 system overview (milk harvesting) 14 individual systems 16 integrated and efficient systems 15-16 key elements 14 main processes 15

Т

table drains 54 teat dipping 100-1 teat disinfection 100-3, 258 teat end damage, checking for 100 teat preparation 93-5, 258 preventing dirty teats 93 problem cow identification 94-5 strategic washing of teats 93-4 washing teats 94 teat spraying automatic teat spray units 103 hand held 101-2spray guns and nozzles 102 timer latches (paddock gates) 45 Tom and Stephanie, New South Wales, double up case study 139-40 top labour productivity cleaning up 7 dairy entry 6 in the dairy 7 paddock to yard 6 total milk harvesting time 21, 137 training heifers to enter the dairy 65-6 entering the main herd 65-6 first steps 65 training milking staff 87 two slope yard 73

U

unit time 183–4 use in sizing a dairy 189–293 working out 261–2 untrained visitors and children 87 upgrade or new dairy? 219

V

vehicle access 197 ventilation, milking area 88 vision (cows) 26 visitors in the dairy 87

W

walking, cows' energy requirements 47 walking speed (cows) 20, 42, 135, 255 washing teats 94 water machine cleaning 117 role in cleaning 116 yard cleaning 117 water access in the pit 206



water supply and storage 199 watertable depth 54 Wayne and Joan, Victoria, rotary case study 162–3 website 11 width, laneways 46–7 width restrictions (paddock gates) 44 work routine time 185–7 working out 257–60 *see also* milking work routine worker comfort 39, 86–7, 209

Y

yard cleaning 122-30 automated systems 127 backing gate cleaning 127-8 CowTime cost cutters 130 flood wash cleaning 127-9 manual systems 123-6 pre-wetting yard surface 122 volume and pressure 122 water, role in cleaning 117 yard slope and drainage 123 yard surface 123 yard cleaning time 20, 136, 255 yard drainage system 73 yard entry 60-1 yard fencing 74 yard gates 61 yard shape 68 yard size 67 yard slope 71-3, 123 yard space reduction options 66, 76-8 yard surface 70 concrete strength 71 diamond grooving 70-1 ease of cleaning 123 removing roughness 71 texturing concrete 70 yard wetting 122 yard width 68-9 year-in-year-out (YIYO) budget 228-31 year round calving herds, milk out time 180 - 1

February 2003